EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S160	1	(compar$3 match$3) near5 (data information) near5 sequenc$3 same (load work) near5 balanc$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S161	265	(compar$3 match$3) near5 (data information) same (load work) near5 balanc$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S162	23	(compar$3 match$3) near5 dna and (load work) near5 balanc$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S163	21008	blast near5 search	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S164	16569	(blast near5 search$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S165	1056	(blast near5 search$3) same biolog$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S166	277	(blast near5 search$3) near10 biolog$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S167	1	(blast near5 search$3) near10 biolog$4 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022") and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S168	276	(blast near5 search$3) near10 compar$4 near10 (database (data adj base) repositor$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S169	31	(blast near5 search$3) near10 compar$4 near10 (database (data adj base) reposit or$3) same (exist$3 redundan$3) and (@ad< "20021022" @pd< "20021022" @rlad< "20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S170	15	(blast near5 search$3) near10 compar$4 near10 (database (data adj base) reposit or$3) same (redundan $3) and (@ad< "20021022" @pd< "20021022" @rlad< "20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S171	173	(check$3 determin$3 determination identif$3) near5 (database (data adj base) reposit or$3) near5 (redundan$2) and (@ad< "20021022" @pd< "20021022" @rlad< "20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S172	97	(check$3 determin$3 determination identif$3) near5 (database (data adj base) repositor$3) near5 (redundan$2) same (biolog$4 dna sequenc$3) and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S173	3	(check$3 determin$3 determination identif$3) near5 (database (data adj base) repositor$3) near5 (redundan$2) same (biolog$4 dna sequenc$3) same (deposit $3 archiv$3) and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S174	2	(blast near5 search$3) near10 biolog$4 and (mirror $3 near5 (database (data adj base) repositor$3)) and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S175	8	(mirror$3 near5 (database (data adj base) repositor$3)) and 702/19.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S176	3	(mirror$3 near5 (search$3 updat$3)) and 702/19.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S177	1	(planaria near5 (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S178	2	(planarian near5 (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S179	121	(planaria$1 and (database (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S180	75	(planaria$1 and (database (data adj base))) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S181	1	"20020102604"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S182	922	(blast near5 (search$3 quer $4)) same (interval dynamic $4 period periodically) and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S183	3	updat$4 same (blast near5 (search$3 quer$4)) same (automatic$4 interval dynamic $4 period periodically) and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S184	19	(blast near5 (search$3 quer $4)) same (interval dynamic $4 period periodically) and 702/19.ccls. and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S185	37	(blast near5 (search$3 quer $4) same (interval dynamic $4 period periodically) and "702".clas. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S186	18	S185 not S184	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S187	11	(blast near5 (search$3 quer $4) same (interval dynamic $4 period periodically) and "707".clas. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S188	18	(blast near5 (search$3 quer $4)) near10 (interval dynamic $4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S189	5	updat$4 repeat$3 loop$3) with (blast near5 (search$3 quer$4)) with (automatic$4 interval dynamic$4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S190	3892	updat$4 repeat$3 loop$3) with ((search$3 quer$4)) with (automatic$4 interval dynamic $4 period periodically) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S191	398	updat$4 repeat$3 loop$3) with ((search$3 quer$4)) with (automatic$4 interval dynamic $4 period periodically) and 707/3.ccls. and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S192	15	(divi$4 partition$3) near5 (remain$3 unfinished undone incomplete) near5 (job queue) and (load work) near5 balanc$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S193	21	(divi$4 partition$3) near5 (search$3 quer$5) same (load work) near5 balanc$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S194	40	(divi$4 partition$3) near5 (search$3 quer$5) and (biolog $4 dna) and (load work) near5 balanc$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S195	5	("2001/0053957").URPN.	USPAT	OR	ON	2009/04/08 14:17
S196	40	(divi$4 partition$3) near5 (search$3 quer$5) and (biolog $4 dna) and (load work) near5 balanc$3 and (@ad<"20031022" @pd<"20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S197	5	("5577249" | "5706498" | "5862325" | "5970500" | "6303297").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S198	42	(blast) near5 (search$3 quer $4 compar$4) and (load work) near5 balanc$3 and (@ad<"20031022" @pd< "20031022" @rlad<"20031022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S199	15	(add$3 insert$3 input$4 register$3 cop$4) near5 (record entry) same (check$3 detect$3 identif$4) near5 (duplicat$3 redundan$2 exist $3) near5 (database (data adj base)) and (dna biolog$4 bioinformation biotech$6 protein gene) and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S200	10	(add$3 insert$3 input$4 register$3 cop$4) near5 (record entry) same (check$3 detect$3 identif$4) near5 (duplicat$3 redundan$2 exist $2) near5 (database (data adj base)) and (dna biolog$4 bioinformation biotech$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S201	59	(add$3 insert$3 input$4 register$3 cop$4) near5 (record entry) same (check$3 detect$3 identif$4) near5 (duplicat$3 redundan$2 exist $2) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S202	8	("5900871" "5907326" "5678039" "5944790" "5664206" "5579223" "6349275" "6567973").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17

S203	1	"6163785".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:17
S204	11	(US-20010049676-$ or US-20030217078-$ or US-20030133556-$ or US-20020194173-$ or US-20030036857-$ or US-20030125315-$).did. or (US-7231390-$ or US-5852715-$ or US-6351753-$ or US-5471622-$ or US-6343275-$).did.	US-PGPUB; USPAT	OR	ON	2009/04/08 14:17
S205	1	10/532198	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:47
S206	10	(federat$3 near5 (search$3 quer$4)) and (database (data adj base)) near5 (dna biolog $4 bioinformation biotech$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 14:49

S208	2	(period$6 interval$2) near5 updat$3 near5 result same (dna biolog$4 bioinformation biotech$6 protein gene) and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:43
S209	5	(period$6 interval$2) near5 updat$3 same blast and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:44
S210	166	(period$6 interval$2) near5 updat$3 and blast near5 (search$3 quer$4 result) and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:45
S213	783	(period$6 interval$2) same blast near5 (search$3 quer$4 result) and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:46
S214	11	S213 and input near5 sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:46

S215	2	(period$6 interval$2) near5 updat$3 near5 (stored archived saved) near5 (search $3 quer$4) near5 result and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:51
S216	2	(period$6 interval$2) same updat$3 near5 (stored archived saved) near5 (search $3 quer$4) near5 result and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:58
S217	144	(period$6 interval$2) same updat$3 near5 (stored archived saved) near5 result and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:59
S218	2	S217 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 15:59
S219	30	S217 and ("707" "705" "709" "715" "702").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 16:00

S220	70	(period$6 interval$2) near10 blast near5 (search$3 quer$4 result) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 16:06
S222	22	S210 and ("707" "705" "709" "715" "702").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/08 16:07
S223	15	(period$6 interval$2) near10 updat$3 near5 version near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:16
S224	21	(period$6 interval$2) near10 updat$3 same (database (data adj base)) near5 (dna biolog$4 bioinformation biotech$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:20

S225	275	(period$6 interval$2) near10 updat$3 same (plural$3 multiple) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:26
S226	5	S225 and "702".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:27
S227	33	(period$6 interval$2 daily monthly quarterly) near10 updat$3 same (plural$3 multiple) near5 (database (data adj base)) and (period $6 interval$2 daily monthly quarterly) near5 (quer$3 search$3) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:31

S228	50	(period$6 interval$2 daily monthly quarterly) near10 updat$3 near5 (plural$3 multiple) near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:39
S229	35	(period$6 interval$2 daily monthly quarterly) same updat$3 same (current latest) near5 version near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:45
S230	31	(period$6 interval$2 daily monthly quarterly) same (determin$5 check$3 identif $4) same (current latest) near5 version near5 (database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:51

S231	29	(period$6 interval$2) and (updat$3 determin$5 check$3 identif$4) near5 version same (database (data adj base)) near5 (dna biolog$4 bioinformation biotech$6 protein gene) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 10:57
S232	15	(US-20070027630-$ or US-20030125315-$ or US-20030055683-$ or US-20030217078-$ or US-20010049676-$ or US-20020194173-$).did. or (US-6920396-$ or US-7231390-$ or US-6370560-$ or US-6691109-$ or US-5852715-$ or US-5471622-$ or US-6351753-$ or US-6343275-$ or US-5859972-$).did.	US-PGPUB; USPAT	OR	ON	2009/04/09 11:01
S233	5	(period$6 interval$2) near10 updat$3 and S232	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 11:01

S234	1511537	S232 and cdna and expressed sequence tag and pharma$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:16
S235	1	S232 and cdna and expressed near5 sequence near5 tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:17
S236	528	(quer$4 search$3) near5 result and cdna and expressed near5 sequence near5 tag and pharma$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:18
S237	2	(quer$4 search$3) near5 result and cdna same expressed near5 sequence near5 tag same pharma$6 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:18
S238	11	(quer$4 search$3) near5 result same cdna same expressed near5 sequence near5 tag and pharma$6 and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:22

S239	726	(period$5 daily monthly quarterly yearly annually) near5 (quer$4 search$3) near5 (result database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:24
S240	29	S239 and (blast tblast) near5 (search$3 quer$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:25
S241	185	(period$5 daily monthly quarterly yearly annually) same updat$3 near5 (quer$4 search$3) near5 (result database (data adj base)) and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:33
S242	6	(period$5 daily monthly quarterly yearly annually) same updat$3 near5 (blast tblast) near5 result and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 13:43

S243	15	(US-20070027630-$ or US-20030125315-$ or US-20030055683-$ or US-20030217078-$ or US-20010049676-$ or US-20020194173-$).did. or (US-6920396-$ or US-7231390-$ or US-6370560-$ or US-6691109-$ or US-5852715-$ or US-5471622-$ or US-6351753-$ or US-6343275-$ or US-5859972-$).did.	US-PGPUB; USPAT	OR	ON	2009/04/09 14:02
S244	1	S243 and cdna and expressed near5 sequence near5 tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 14:02
S245	129	(quer$4 search$3) near5 result same cdna and expressed near5 sequence near5 tag and (@ad<"20021022" @pd< "20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 14:03
S246	12	S245 and pharmacology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 14:03

S247	480	(blast tblast) near5 result same cdna and expressed near5 sequence near5 tag and (@ad<"20021022" @pd<"20021022" @rlad<"20021022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 14:04
S248	18	S247 and pharmacology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 14:04
S249	67	S245 and pharma$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/04/09 15:09

4/9/2009 4:01:58 PM
C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces\ son_10_532_198_case. wsp